



ELEVATION



SECTION ON AA'


- WEATHERING COURSE WITH PRESSED TILES
- PARAPET 300mm HT.
- ROOF SLAB CUM BEAM
- RCC 1:1.5:3 HALL BEAM
- RCC SUN SHADE 600mm WIDE
- BRICK WORK IN CM 1:5
- SILL SLAB (75 mm THICK)
- FLOOR FINISH WITH CERAMIC TILES
- PCC 1:4:8 100mm
- SAND FILLING 150mm
- EARTH FILLING
- RCC 1:1.5:3 GRADE BEAM



SECTION 'BB' (PLINTH PROTECTION PLATFORM)

IMPORTANT NOTES:

1. ECONOMICAL FOUNDATION MAY BE ADOPTED. DEPTH OF FOUNDATION SHOULD BE BASED ON THE SOIL CONDITION AT SITE.
2. FLOORING SHOULD BE DONE USING CERAMIC TILES
3. SILL SLAB(75mm THICK) SHOULD BE PROVIDED AT THE BOTTOM OF ALL WINDOW OPENINGS WITH 250 mm EXTENSION ON EITHER SIDE.
4. PLINTH PROTECTION PLATFORM(750mm WIDE) SHOULD BE PROVIDED AROUND THE BUILDING
5. SLIGHT SLOPE SHOULD BE GIVEN FOR ROOF SLAB
6. WEATHERING COURSE SHOULD BE PROVIDED WITH REQUIRED SLOPE TO DRAIN RAIN WATER.
7. RWH STRUCTURE SHOULD BE CONSTRUCTED AWAY FROM SEPTIC TANK(IF ANY) AND IT CAN BE LINKED TO A NEAR BY WATER SOURCE.
8. 110 mm OD PVC PIPES MAY BE USED FOR RAINWATER DOWNFALL PIPES.
9. CONTINUOUS LINTEL SHOULD BE PROVIDED.



PLAN

SCHEDULE OF JOINERY

SL. NO.	TYPE	SIZE		BILL	TOP	DESCRIPTION	REMARKS
		WIDTH	HEIGHT				
1	D	1200	2100	-	2100	STEEL DOOR WITH WEARS SHEET SHUTTER	TWO LEAVES
2	D2	750	2100	-	2100	PVC DOOR	SINGLE LEAF
3	W	1800	1300	800	2100	STEEL WINDOW WITH 1600mm SHEET GLAZING & 150mm OD. IRL. BAR	TWO LEAVES
4	J	800	450	1650	2100	JALTY	-

PLINTH AREA: 49.80 sq.m / 536 sq.ft

DRAWING NO:1-J10/SERD/Dt.03.09.11

DIRECTORATE OF RURAL DEVELOPMENT AND PANCHAYAT RAI

SCALE:1:100

DATE:

ALL DIMENSIONS ARE IN mm

AE
EE

AE
SE

JOB NO:10

DRAWING NO:1

TYPE DESIGN FOR RURAL LIBRARY BUILDING

PLAN,ELEVATION,AND SECTION