


SECTION 'AA'



SIDE ELEVATION

IMPORTANT NOTE :

1. FLOORING SHOULD BE DONE USING CERAMIC TILES
2. THE SIZE OF THE R.C.C. COLUMNS AND BEAMS SHOULD BE AS PER DETAILED R.C.C. DESIGN.
3. WEATHERING COURSE SHOULD BE PROVIDED WITH REQUIRED SLOPE TO DRAIN RAIN WATER
4. PLINTH PROTECTION PLATFORM SHOULD BE PROVIDED AROUND THE BUILDING
5. RWH STRUCTURE SHOULD BE CONSTRUCTED FAR AWAY FROM SEPTIC TANK AND IT CAN BE LINKED TO A NEAR BY WATER SOURCE.

SCHEDULE OF JOINERY

SL. NO.	TYPE	SIZE		SILL	TOP	DESCRIPTION	REMARKS
		WIDTH	HEIGHT				
1	D	1800	2100	-	2100	STEEL DOOR WITH 18GMS SHEET SHUTTER	TWO LEAVES
2	D1	900	2100	-	2100	STEEL DOOR WITH 18GMS SHEET SHUTTER	SINGLE LEAF
3	D2	750	2100	-	2100	PVC DOOR	SINGLE LEAF
4	W	1500	1300	800	2100	STEEL WINDOW WITH GLAZED SHUTTER & 12MM SQ.MS BARS	THREE LEAVES
5	W1	1200	1300	800	2100	STEEL WINDOW WITH GLAZED SHUTTER & 12MM SQ.MS BARS	TWO LEAVES
6	V	900	450	2850	3300	STEEL GLAZED VENTILATORS 12MM SQM M.S.BARS	N-TYPE
7	V1	600	450	1650	2100	STEEL GLAZED VENTILATOR WITH 12MM SQ.MS.BARS	N-TYPE
8	J	1800	1300	800	2100	RCC JOLLY	-
9	GG	1800	1300	800	2100	GRILL GATE	-
10	D3	1200	2100	-	2100	STEEL DOOR WITH 18GMS SHEET SHUTTER	DOUBLE LEAF

DRAWING NO:2-J13/SERD/Dt.03.09.11

DIRECTORATE OF RURAL DEVELOPMENT AND PANCHAYAT RAJ

SCALE 1:100	DATE	ALL DIMENSIONS ARE IN mm.	
<i>[Signature]</i> AE	<i>[Signature]</i> AEE	JOB NO:13	DRAWING NO:2
<i>[Signature]</i> EE	<i>[Signature]</i> SE		

COMMUNITY HALL - TYPE DESIGN NO.3

SIDE ELEVATION AND SECTION