



ELEVATION




SECTION 'AA'



SECTION 'BB'(PLINTH PROTECTION PLATFORM)

IMPORTANT NOTES:

1. ECONOMICAL FOUNDATION MAY BE ADOPTED. DEPTH OF FOUNDATION SHOULD BE BASED ON THE SOIL CONDITION AT SITE.
2. FLOORING SHOULD BE OF GRANULITHIC TYPE.
3. PLINTH PROTECTION PLATFORM(1000mm WIDTH)SHOULD BE PROVIDED AROUND THE BUILDING
4. SLIGHT SLOPE SHOULD BE GIVEN FOR ROOF SLAB.
5. WEATHERING COURSE SHOULD BE PROVIDED WITH REQUIRED SLOPE FOR DRAINING OFF RAIN WATER
6. RWH STRUCTURE SHOULD BE CONSTRUCTED AWAY FROM SEPTIC TANK AND IT CAN BE LINKED TO A NEAR BY WATER SOURCE.
7. SURFACE OF THE RAMP SHOULD BE GROOVED.



PLAN

SCHEDULE OF JOINERY

SL. NO.	TYPE	SIZE		SILL	TOP	DESCRIPTION	REMARKS
		WIDTH	HEIGHT				
1	RS	2100	2100	-	2100	ROLLING SHUTTER	SINGLE
2	V	900	450	2600	3050	STEEL GLAZED VENTILATOR WITH 12MM SQ.MS.BAR	N-TYPE

DRAWING NO:1-J14/SERD/Dt.03.09.11

DIRECTORATE OF RURAL DEVELOPMENT AND PANCHAYAT RAJ

SCALE 1:100

DATE

ALL DIMENSIONS ARE IN mm.

AE

JOB NO:14

DRAWING NO:1

EE

TYPE DESIGN FOR CEMENT GODOWN

PLAN,ELEVATION AND SECTION