


PLINTH AREA: 17.03 sq.m / 183.2 sq.ft

SCHEDULE OF JOINERY

TYPE	SIZE		SILL	TOP	DESCRIPTION	REMARKS
	WIDTH	HEIGHT				
D	750	1800	-	1800	STEEL DOOR WITH 18GMS SHEET SHUTTER	SINGLE
D1	750	1800	-	1800	STEEL DOOR WITH 18GMS SHEET SHUTTER WITH HANDRAIL	SINGLE
J	600	300	1500	1800	RCC JOLLY	-



IMPORTANT NOTES:

1. ECONOMICAL FOUNDATION MAY BE ADOPTED. DEPTH OF FOUNDATION SHOULD BE BASED ON THE SOIL CONDITION AT SITE.
2. FLOORING SHOULD BE DONE USING ANTI SKID TILES FOR TOILETS ONLY.
3. SLIGHT SLOPE SHOULD BE GIVEN FOR ROOF SLAB
4. HANDRAILS SHOULD BE PROVIDED INSIDE THE TOILET AND AT THE RAMP PORTION FOR DIFFERENTLY ABLED STUDENTS.
5. SURFACE OF THE RAMP SHOULD BE GROOVED.
6. DOOR (FOR DA TOILET) SHOULD BE PROVIDED WITH HANDRAIL.

DRAWING NO:1-J6/SERD/Dt.03.09.11

DIRECTORATE OF RURAL DEVELOPMENT AND PANCHAYAT RAJ

SCALE 1:100	DATE	ALL DIMENSIONS ARE IN mm.	
<i>[Signature]</i>	<i>[Signature]</i>	JOB NO: 6	DRAWING NO: 1
<i>[Signature]</i>	<i>[Signature]</i>	TYPE DESIGN FOR SCHOOL TOILET (BOYS)	
PLAN, ELEVATION AND SECTION			