




**ELEVATION**



**SECTION 'AA'**



**SECTION 'BB' (PLINTH PROTECTION PLATFORM)**



**PLAN A**

PLINTH AREA: 87.81 sq.m / 944.84 sq.ft

**SCHEDULE OF JOINERY**

Sl. NO.	TYPE	SIZE		SILL	TOP	DESCRIPTION	REMARKS
		WIDTH	HEIGHT				
1	D	1100	2100	—	2100	STEEL DOOR WITH 18GMS SHEET SHUTTER	TWO LEAVES
2	D2	750	2100	—	2100	PVC DOOR	SINGLE LEAF
3	RS	1200	2100	—	2100	ROLLING SHUTTER	----
4	GG	1500	2100	—	2100	GRILL GATE USING FLATS AND BARS	----
5	W	1200	1300	800	2100	STEEL WINDOW WITH 18GMS SHEET SHUTTER & 12MM SQ. MS. BARS	TWO LEAVES
6	J	600	450	1650	2100	JOLLY	----

- IMPORTANT NOTES:**
1. ECONOMICAL FOUNDATION MAY BE ADOPTED. DEPTH OF FOUNDATION SHOULD BE BASED ON THE SOIL CONDITION AT SITE.
  2. FLOOR FINISHING SHOULD BE DONE USING CERAMIC TILES
  3. SILL SLAB(75mm THICK) SHOULD BE PROVIDED AT THE BOTTOM OF ALL WINDOW OPENINGS WITH 250 mm EXTENSION ON EITHER SIDE.
  4. PLINTH PROTECTION PLATFORM(750mm WIDE) SHOULD BE PROVIDED AROUND THE BUILDING
  5. SLIGHT SLOPE SHOULD BE GIVEN FOR ROOF SLAB
  6. WEATHERING COURSE SHOULD BE PROVIDED WITH REQUIRED SLOPE TO DRAIN RAIN WATER.
  7. RWH STRUCTURE SHOULD BE CONSTRUCTED AWAY FROM SEPTIC TANK(IF ANY) AND IT CAN BE LINKED TO A NEAR BY WATER SOURCE.
  8. 110 mm OD PVC PIPES MAY BE USED FOR RAIN WATER DOWNFALL PIPES
  9. CONTINUOUS UNTEL SHOULD BE PROVIDED.

DRAWING NO:1-J9/SERD/Dt.03.09.11

DIRECTORATE OF RURAL DEVELOPMENT AND PANCHAYAT RAJ

SCALE 1:100 DATE ALL DIMENSIONS ARE IN mm.

AE AEE JOB NO:9 DRAWING NO:1

EE SE

**TYPE DESIGN FOR PANCHAYAT OFFICE BUILDING**  
PLAN, ELEVATION AND SECTION